

► Usage Areas



Hotel



Restaurant



Fast Food



Cocktail



Disco



Industry



► Technical Information

Daily Production Capacity	192 kg	Finish	AISI 304 SS
Store Capacity	Available SB200/SB400	Cooling System	Air
Ice Capacity Per Cycle	136 Pieces	Product Dimension w*d*h	762*622*792
Refrigerant Gas	R290	Packing Dimension w*d*h	820*680*905
Current	25 A	Net Weight	103 kg
Maximum Power	2.060 W	Loading Quantities 20 HC	69 Units
Daily Electric Consumption	37,0 kW	Loading Quantities 40 HC	144 Units
Voltage	230V-50 Hz	Loading Quantities Optima	162 Units

► Special Features



Easy Clean
Air Filter



Air
Cooling



Easy Clean
Surface



Electronic
Control



T Climate
Type




Easy
Access



Multifunction
Button

► Ice cubes and size




18 gr/unit

► Certifications




frozy®

FR200G



► Product Dimensions



► Limits

- Water inlet	3/4"
- Water outlet	22 mm
- Water Pressure	Min 1 Bar/Max 5 Bar

All technical information must be considered as following information

Ambient temperature 20°C

Water temperature :15°C

Electric consumption at :32°C Ambient / 21°C Water (Standard Voltage)

The company has right to change all informations without notification

► Ice Making Capacities

Ambient Tem.°C	Water Temperature °C			
	10°	15°	21°	32°
10°	100%	98%	95%	93%
21°	98%	96%	90%	87%
32°	90%	87%	80%	78%
38°	80%	75%	70%	60%

frozy®

TAŞI MAK.MÜH.SAN.TİC.A.Ş.
Org.San.Böl. 34.Cad. No:11,
26110, Eskişehir/Turkey
☎ + 90 222 236 82 20
☎ + 90 222 236 82 21

CLIMAX COOLER MAK.MÜH.DAN.A.Ş.
Org.San.Böl. 34.Cad. No:11,
26110, Eskişehir/Turkey
☎ + 90 222 236 82 20
☎ + 90 222 236 82 21



