

frozy®

FR300F



► Usage Areas



Hotel



Restaurant



Fast Food



Cocktail



Disco



Industry



► Technical Information

Daily Production Capacity	300 kg	Finish	AISI 304 SS
Store Capacity	Available SB200/SB400	Cooling System	Air
Ice Capacity Per Cycle	Continually	Product Dimension w*d*h	762*642*806
Refrigerant Gas	R290	Packing Dimension w*d*h	820*680*1.000
Current	25 A	Net Weight	108 kg
Maximum Power	1.800 W	Loading Quantaties 20 HC	69 Units
Daily Electric Consumption	26,5 kW	Loading Quantaties 40 HC	144 Units
Voltage	230V-50 Hz	Loading Quantaties Optima	162 Units

► Special Features




Easy Clean
Air Filter



Air
Cooling



Easy Clean
Surface



Electronic
Control



T Climate
Type



Easy
Access



Multifunction
Button

► Ice cubes and size



► Certifications



frozy®

TASIS MAK.MÜH.SAN.TİC.A.Ş.
Org.San.Böl.34.CD.NO:11,
26110, Eskişehir/Türkiye
+ 90 222 236 82 20
+ 90 222 236 82 21
marketing@frozy.com.tr


CLIMAX COOLER MAK.MÜH.DAN.A.Ş.
Org.San.Böl.34.CD.NO:11,
26110, Eskişehir/Türkiye
+ 90 222 236 82 20
+ 90 222 236 82 21
marketing@frozy.com.tr



www.frozy.com.tr



▶ Product Dimensions



▶ Limits

- Water inlet	3/4"
- Water outlet	22 mm
- Water Pressure	Min 1 Bar/Max 5 Bar

All technical information must be considered as following information

Ambient temperature 20°C

Water temperature :15°C

Electric consumption at :32°C Ambient / 21°C Water (Standard Voltage)

The company has right to change all informations without notification

▶ Ice Making Capacities

Ambient Tem.°C	Water Temperature °C			
	10°	15°	21°	32°
10°	100%	98%	95%	93%
21°	98%	96%	90%	87%
32°	90%	87%	80%	78%
38°	80%	75%	70%	60%



