


# frozy®

## FR500D



### ► Usage Areas



Hotel



Restaurant



Fast Food



Cocktail



Disco



Industry



### ► Technical Information

Daily Production Capacity	450 kg	Finish	AISI 304 SS
Store Capacity	Available SB200/SB400	Cooling System	Air
Ice Capacity Per Cycle	440 Pieces	Product Dimension w*d*h	762*622*792
Refrigerant Gas	R290	Packing Dimension w*d*h	820*680*905
Current	25 A	Net Weight	103 kg
Maximum Power	2.060 W	Loading Quantaties 20 HC	69 Units
Daily Electric Consumption	37,0 kW	Loading Quantaties 40 HC	144 Units
Voltage	230V-50 Hz	Loading Quantaties Optima	162 Units

### ► Special Features



Easy Clean  
Air Filter



Air  
Cooling



Easy Clean  
Surface



Electronic  
Control



T Climate  
Type




Easy  
Access



Multifunction  
Button

### ► Ice cubes and size



Full Dice Ice

12 gr/unit

### ► Certifications




frozy®


TASIS MAK.MÜH.SAN.TİC.A.Ş.  
Org.San.Böl.34.CD.NO:11,  
26110, Eskişehir/Türkiye  
+ 90 222 236 82 20  
+ 90 222 236 82 21

CLIMAX COOLER MAK.MÜH.DAN.A.Ş.  
Org.San.Böl.34.CD.NO:11,  
26110, Eskişehir/Türkiye  
+ 90 222 236 82 20  
+ 90 222 236 82 21





### Product Dimensions



### Limits

- Water inlet 3/4"
- Water outlet 22 mm
- Water Pressure Min 1 Bar/Max 5 Bar

All technical information must be considered as following information

Ambient temperature 20°C

Water temperature :15°C

Electric consumption at :32°C Ambient / 21°C Water (Standard Voltage)

The company has right to change all informations without notification

### Ice Making Capacities

Ambient Tem. °C	Water Temperature °C			
	10°	15°	21°	32°
10°	100%	98%	95%	93%
21°	98%	96%	90%	87%
32°	90%	87%	80%	78%
38°	80%	75%	70%	60%



