

# frozy®

## FR550F



### ► Usage Areas



Hotel



Restaurant



Fast Food



Cocktail



Disco



Industry



### ► Technical Information

Daily Production Capacity	500 kg	Finish	AISI 304 SS
Store Capacity	Available SB200/SB400	Cooling System	Air
Ice Capacity Per Cycle	Continually	Product Dimension w*d*h	762*642*950
Refrigerant Gas	R290	Packing Dimension w*d*h	820*680*1.144
Current	25 A	Net Weight	112 kg
Maximum Power	1.800 W	Loading Quantaties 20 HC	69 Units
Daily Electric Consumption	29,5 kW	Loading Quantaties 40 HC	144 Units
Voltage	230V-50 Hz	Loading Quantaties Optima	162 Units

### ► Special Features



Easy Clean  
Air Filter



Air  
Cooling



Easy Clean  
Surface



Electronic  
Control



T Climate  
Type



Easy  
Access



Multifunction  
Button

### ► Ice cubes and size



### ► Certifications



frozy®

TASIS MAK.MÜH.SAN.TİC.A.Ş.  
Org.San.Böl.34.CD.NO:11,  
26110, Eskişehir/Türkiye  
+ 90 222 236 82 20  
+ 90 222 236 82 21  
marketing@frozy.com.tr


CLIMAX COOLER MAK.MÜH.DAN.A.Ş.  
Org.San.Böl.34.CD.NO:11,  
26110, Eskişehir/Türkiye  
+ 90 222 236 82 20  
+ 90 222 236 82 21  
marketing@frozy.com.tr



www.frozy.com.tr



## ▶ Product Dimensions



## ▶ Limits

- Water inlet	3/4"
- Water outlet	22 mm
- Water Pressure	Min 1 Bar/Max 5 Bar

All technical information must be considered as following information

Ambient temperature 20°C

Water temperature :15°C

Electric consumption at :32°C Ambient / 21°C Water (Standard Voltage)

The company has right to change all informations without notification

## ▶ Ice Making Capacities

Ambient Tem.°C	Water Temperature °C			
	10°	15°	21°	32°
10°	100%	98%	95%	93%
21°	98%	96%	90%	87%
32°	90%	87%	80%	78%
38°	80%	75%	70%	60%



